
TRANSFUSION TECHNOLOGY

Composeal®

TUBE SEALING SYSTEM FOR PERFECT AND RELIABLE SEALS







Composeal®

The choice for a new standard of controlled, safe tube sealing

The Composeal® product line offers a sealer range meeting the specific demands of professionals in sealing medical tubing.

- Composeal® Universal, heavy-duty and flexible sealing system
- Composeal® Mobilea, portable sealer

Composeal® **Universal** – the flexible desktop sealing system with patented auto-tuning function

- Auto-tuning function up to 6 mm tube diameter for optimized sealing time and identical seal thickness
- Designed for heavy duty use
- Spark detection and seal time limiter for controlled handling
- Automatic tubing grips to ensure seal quality
- Indication of sealing progress
- Detachable head is easy to clean
- Additional hand sealer for simultaneous operation

High quality seals, reliable operation, quick and easy handling, process control ensures leakage detection







Composeal® Universal Transport Case available on request

Composeal® Universal

Dimensions (W \times D \times H)	150 mm × 280 mm × 260 mm
Weight	approx. 7 kg
Power supply	230 V AC, 50 Hz
Sealing time	~0.5 sec. (standard tube)
CE; Cleared for sales in the US	



Simultaneous operation of hand sealer possible connected to Composeal® Universal (hand sealer on request)

Composeal® **Mobilea** – the portable sealer light weight, short charging cycle for the battery pack.

- High capacity battery with improved robustness
- Small and light weight, shoulder carrying bag (optional)
- Visual and acoustic alarm for low battery indication
- Approved for bedside sealing

Composeal® Mobilea

Dimensions (W \times D \times H)	140 mm × 110 mm × 50 mm
Weight	approx. 800 g
Internal NiMH-Battery	12 V, 1.2 Ah
CE/MDD	CE/class I (all models)
Cleared for sales in the US	

Battery Charger

Dimensions (W \times D \times H)	150 mm × 140 mm × 80 mm
Weight	1.6 kg
Power supply	230 V AC, 50 Hz

Hand held sealer*

Dimensions (W \times D \times H)					2	200 mm ×	65 mm × 30 mm	
Weight					3	300 g		
4.70°1 1	1	1		1	. 1.1	:1.0	10 77 .	1

^{*}The hand sealer is also compatible with Composeal® Universal







Composeal® Mobilea Transport Case:

The Composeal® Mobilea is delivered in a durable transport case.



Charger:

Easy plug in system; charges within 1 hour; battery overcharge protection



Hand held sealer:

Optimal ergonomic design, very low hand force necessary; visual and acoustic alarm; detachable head is easy to clean For more information such as literature, technical details and working procedures as well as for equipment please contact your local sales representative or us.

Composeal® models

9024061	Composeal [®] Universal , 220 V
9024661	Composeal® Universal , 110 V
9024051	Composeal [®] Mobilea , 220 V
	Complete with power pack, hand sealer, charger and transport case
9024401	Composeal [®] Mobilea , 110 V
	Complete with power pack, hand sealer, charger and transport case

Accessories

M 616481	Modification kit: Exchangeable hand sealer cable
9024021	Power pack for Composeal® Mobilea
9024031	Hand held sealer for Composeal® Mobilea and Universal
9024041	Charger for Composeal® Mobilea , 220 V
9024001	Charger for Composeal® Mobilea , 110 V
M 600431	Transport case for Composeal® Mobilea
9024331	Shoulder carrying bag for Composeal® Mobilea power pack
902881	Transport case for Composeal® Universal



Fresenius Kabi Deutschland GmbH

Borkenberg 14 · 61440 Oberursel · Germany Phone: +49-6172-6088499 · Fax: +49-6172-6088498

www.fresenius-kabi.com

Your local sales organization: